


SCISSOR LIFT SURI





RESEMIN s.a

Scissor Lift Truck SURI



ADDITIONAL EQUIPMENT FOR LIFTING PLATFORMS

- . Crane: 2000 Kg capacity.
- . Optional pipe handlers facilitate installation of pipes and ducts.





**SCISSOR LIFT
SURI S44**


Scissor Lift Truck SURI

CARRIER


- . 4WD heavy duty, center articulated +/- 40°, self-propelled.
- . 2-man FOPS Canopy certified.
- . Deutz engine BF4L914, 73kw air cooled, turbo-charged.
- . Donaldson dry type air filter assembly.
- . Dana T12000 Power shift transmission.
- . Dana Axles, 112 series, rear axle oscillating 15°.
- . SAHR brake for both service and parking brake.
- . (4) Tires 12.00xR20.
- . (4) Jacks stabilizers, 2 extendable.
- . ANSUL fire suppressor system.
- . SKF Autolube lubricating system.
- . Hydraulic power steering with a double acting steering cylinder.
- . Access ladder to platform.

CAPABILITIES

- . Platform Lift Capacities: 2 Ton.
- . Deck Length: 2.90 mts.
- . Deck Width: 1.94 mts.
- . Height (Full Extension) : 3.50 mts.
- . Machine weight: 10,800 Kg.
- . Fuel Tank: 120 Lts.
- . Hydraulic Tank: 120 Lts.
- . LED driving lights.
- . Emergency stop.
- . 24 volt Electrical System.
- . Spare Rim Assembly.
- . Parts/Operator/Maintenance Manuals (2 copies).
- . Training services at star-up and after delivery.



TURNING RADIUS



SURI OPTIONS

